

Butterfly Valve

Flanged Metal Seated Butterfly Valve



Main Technical Specifications

Design and Manufacture	API 609, BS 5155, MSS SP-67, MSS SP-68
Face to Face Dimension	API 609, BS 5155
Flange Connection Dimension	ASME B16.5, ASME B16.47
BW Connection Dimension	ASME B16.25
Pressure-Temperature Ratings	ASME B16.34
Test and Inspection	API 598
Type of Operation	Manual, Gear, Electric, Pneumatic, Hydraulic
Nominal Diameter	2" ~ 80"
Nominal Pressure(Class)	150Lb ~ 600Lb
Main Materials	WCB, WCC, WC6, WC9, C5, C12, LCB, LCC, CF8, CF8M, CF3, CF3M, CN7M, CF8C

Flange Soft Seated Butterfly Valve



Main Technical Specifications

Design and Manufacture	API 609, BS 5155, MSS SP-67, MSS SP-68
Face to Face Dimension	API 609, BS 5155
Flange Connection Dimension	ASME B16.5, ASME B16.47
BW Connection Dimension	ASME B16.25
Pressure-Temperature Ratings	ASME B16.34
Test and Inspection	API 598
Type of Operation	Manual, Gear, Electric, Pneumatic, Hydraulic
Nominal Diameter	2" ~ 80"
Nominal Pressure(Class)	150Lb ~ 600Lb
Main Materials	WCB, WCC, WC6, WC9, C5, C12, LCB, LCC, CF8, CF8M, CF3, CF3M, CN7M, CF8C

Wafer Butterfly Valve



Main Technical Specifications

Design and Manufacture	API 609, BS 5155, MSS SP-67, MSS SP-68
Face to Face Dimension	API 609, BS 5155
Flange Connection Dimension	ASME B16.5, ASME B16.47
BW Connection Dimension	ASME B16.25
Pressure-Temperature Ratings	ASME B16.34
Test and Inspection	API 598
Type of Operation	Manual, Gear, Electric, Pneumatic, Hydraulic
Nominal Diameter	2" ~ 80"
Nominal Pressure(Class)	150Lb ~ 600Lb
Main Materials	WCB, WCC, WC6, WC9, C5, C12, LCB, LCC, CF8, CF8M, CF3, CF3M, CN7M, CF8C

Center-Line Butterfly Valve

Main Technical Specifications

Design and Manufacture	API 609, BS 5155
Face to Face Dimension	API 609
Connection Dimension	ASME B16.5
Test and Inspection	API 598
Nominal Diameter	2" ~ 20"
Nominal Pressure(Class)	150Lb ~ 300Lb
Main Materials	WCA, WCB, WCC, LCB, LCC, CF8, CF8M, CF3, CF3M, CN7M, CF8C



Cryogenic Butterfly Valve

Main Technical Specifications

Design and Manufacture	API 609, BS 5155, MSS SP-67, MSS SP-68
Face to Face Dimension	API 609, BS 5155
Connection Dimension	ASME B16.5, ASME B16.47, DIN 2501
Test and Inspection	ASME B16.34
Nominal Diameter	2" ~ 24"
Nominal Pressure(Class)	150Lb ~ 600Lb
Main Materials	LCB, LCC, LC3, CF8, CF8M



Butterfly Valve for District Heating

Main Technical Specifications

Design and Manufacture	BS 5155, MSS SP-67, MSS SP-68
Face to Face Dimension	As per Client's requirement & Manufacturer's Specification
BW Connection Dimension	ASME B16.25
Pressure-Temperature Ratings	ASME B16.34
Test and Inspection	API 598, API 6D
Nominal Diameter	2" ~ 80"
Nominal Pressure(Class)	150Lb ~ 600Lb
Main Materials	1020, A53, SPSS, ST37

